



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,567	-02/08/2002	Naroun Soun	BSI-480US	1958
75	90 02/23/2006		EXAMINER	
Christopher R. Lewis			BUI, VY Q	
Ratner & Prestia Suite 301, One Westlakes, Berwyn			ART UNIT	PAPER NUMBER
P.O. Box 980			3731	
Valley Forge, P	A 19482-0980		DATE MAILED: 02/23/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Supplemental	10/072,567	SOUN ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Vy Q. Bui	3731	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS Is nerewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in 5) or other appropriate common RIGHTS. This application is	in this application. If not include nunication will be mailed in due o	ed course. THIS
2. ☑ The allowed claim(s) is/are <u>2-29 and 40-44</u> .			
3. The drawings filed on <u>26 April 2002</u> are accepted by the	Examiner.		
4. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be substituted in the substitute of DATE of the substitute of DATE of the substitute of DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS (as "replacement sheets") must be substituted in Corrected DRAWINGS	ve been received. ve been received in Application ocuments have been received. " of this communication to fil MENT of this application. mitted. Note the attached EX ves reason(s) why the oath out the submitted. rson's Patent Drawing Revie	on No ed in this national stage applicate e a reply complying with the required at the stage applicate CAMINER'S AMENDMENT or Not declaration is deficient.	quirements
Thereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examine Paper No./Mail Date		or in the Office action of	
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the header according to 37 C	the drawings in the front (not the FR 1.121(d).	back) of
 DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMEN 	osit of BIOLOGICAL MAT T FOR THE DEPOSIT OF BI	ERIAL must be submitted. NIOLOGICAL MATERIAL.	lote the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material) 6. ☐ Interview S Paper No /08), 7. ☐ Examiner's	nformal Patent Application (PTC Summary (PTO-413), ./Mail Date s Amendment/Comment s Statement of Reasons for Allo 	
			; ~

SUPPLEMENTAL NOTICE OF ALLOWANCE

The following is an examiner's statement of reasons for allowance: the prior art reference has failed to disclose or suggest a braided modular stent comprising a first component and a second component, each component comprising an hourglass-shaped interface, each hourglass shaped interface comprising a reduced diameter section positioned between two sloped sections, each sloped section extending between the reduced diameter section and one of a plurality of nominal diameter sections, the reduced diameter section is constructed to have a greater radial strength than the nominal diameter sections.

Claims 1 and 30-39 have been canceled.

Claims 2-29 and 40-44 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vy Q. Bui whose telephone number is 571-272-4692. The examiner can normally be reached on Monday-Tuesday and Thursday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan T. Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/072,567

Art Unit: 3731

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Vy Q. Bui

01/26/2006

Primary Examiner Art Unit 3731